



Interface Compatibility Validation for a Store-and-forward InterAct Messaging Interface

Integrated Financial Gateway (IFG)

Conformance Statement

Table of Contents

Title Page.....	1
1 General Information.....	3
1.1 Supplier.....	3
1.2 Product Information.....	3
1.3 Operational Environment.....	3
1.4 Customer Implementation Environment.....	3
1.5 Packaging Statement.....	3
1.6 Integration Support.....	4
2 Conformance Requirements	5
2.1 Messaging Interface Features	5
2.1.1 General Features	5
2.1.2 Protocol Security Features.....	5
2.1.3 Messaging Interface Application Support.....	6
2.1.4 Operational Features	6
2.1.5 RMA Management.....	6
2.1.6 Application Service Profile	7
2.2 Store-and-forward Features.....	7
2.2.1 General Features	7
2.2.2 Sequence of Transmission/Delivery	8
2.2.3 System Messages.....	9
2.2.4 Delivery Management.....	9
2.3 InterAct Features	9
2.3.1 Message Processing Features	9
2.3.2 Message Distribution Features	10
2.3.3 Copy Features	10
Legal Notices.....	11

1 General Information

1.1 Supplier

Full name of the organisation that has registered this interface product and the name of the author of this Conformance Statement

Organisation	Incentage AG
Author	Tony Gallery
Date	November 2021

1.2 Product Information

The name and version numbers of the interface product to which this compliance validation and conformance claim applies.

Product Name	Integrated Financial Gateway (IFG)
Product Version Number	2021.1.0

1.3 Operational Environment

The hardware platform(s) and/or software platforms for which this product's performance is guaranteed.

Hardware Platform on which product is guaranteed	Any Hardware Platform that supports and is supported by the listed Software Platforms
Software Platform on which product is guaranteed	Operating Systems: Red Hat Enterprise Linux 7 and 8

1.4 Customer Implementation Environment

The hardware platform and software environment in which this interface product's customer implementation is defined (as required to achieve full compliance after an interim compliance).

Hardware Platform on which product was implemented	Intel(R) Core (TM) i7-3770 CPU @ 3.40GHz / 24.0 GB RAM / 64-bit Operating System, x64-based processor
Software Platform on which product was implemented	Red Hat Enterprise Linux 7

1.5 Packaging Statement

The main possibilities are:

- The product is a messaging interface only if the main purpose is to exchange messages between back office applications and SWIFT.
- The product is integrated with another if the product offers other functionality such as connectivity to other external networks or the product is also a business application that creates and processes messages.
- The communication interface used by the product.
- The Relationship Management Application (RMA) used by the product.
- The security administration interface used by the product. For example, the management of security endpoints and its roles by security officers can be done by the product itself and/or by using SWIFT Net Online Operations Manager or another product.

Other variations are possible. If used, these should be described below.

Product is a messaging interface only	No
Product is integrated with another. Specify.	Incentage Service Bus (ISB)

Communication Interface	Alliance Gateway (RAHA)
RMA Interface	Incentage RMA Module (IRM)
Security Administration	Alliance Web Platform with SWIFT Web Access SWIFTNet Online Operations Manager
Other	Incentage Service Bus includes back-office integration

1.6 Integration Support

The table describes if the product uses the Message Queue Host Adapter or Remote API Host Adapter as specified by SWIFT, or if it uses a proprietary or other industry standard solution.

MQHA	No
RAHA	Yes
Other	Integration with back-office applications and source systems is fully supported by the Incentage Service Bus (ISB) which is equipped with all industry standard adapters such as File, SFTP, MQ, JMS, Oracle, DB2, Postgres, REST, Web Services etc.

2 Conformance Requirements

The conformance requirements for a Store-and-forward InterAct messaging interface for SWIFTNet release 7.0 are specified in the corresponding interface specifications. A Store-and-forward InterAct messaging interface for SWIFTNet release 7.0 must support the mandatory items referred to in the messaging interface specifications and any of the additional optional items.

The tables below identify the mandatory and optional elements that a Store-and-forward InterAct messaging interface product may support.

- Column 1 identifies the feature.
- Column 2 contains references to notes which describe the feature in more detail and where appropriate gives reference to the specification source.
- Column 3 describes whether the feature is Mandatory or Optional.
 - A Mandatory feature must be available for all users of the product.
 - An Optional feature, if implemented, is also subject to compliance validation.
- Column 4 is ticked "Y" or "N" to indicate support of the feature.

2.1 Messaging Interface Features

2.1.1 General Features

Feature	Note	Mand. / Optional	Support (Y/N)
Application identification within ProductList	A.1	M	Y
Usage of E2EControl for indication of PDE	A.2	M	Y
Provide client and server functionality	A.3	M	Y
Usage of enhanced errors	A.4	O	N

Notes

- A.1 The messaging interface identifies itself in the ProductList. It also provides the ability for registered applications to use the ProductList within messages created by those applications or the messaging interface adds the ProductList when it identifies that an application is connected to the messaging interface.
- A.2 E2EControl must be used to identify the message for which possible duplicate information is to be provided.
- A.3 The client and server primitives from the communication interface must be used so that the messaging interface can play the role of client and of server in an efficient way. This requires following the order of primitives to be sent and depends on the features offered by the communication interface.
- A.4 Enhanced errors are used by the messaging interface when the ErrorMode is set appropriately.

2.1.2 Protocol Security Features

Feature	Note	Mand / Optional	Support (Y/N)
Usage of SWIFTNet Link security contexts	B.1	M	Y
Renew rarely used SWIFTNet Link security contexts	B.2	M	Y
Signature processing	B.3	M	Y
Support of digital signature within payload	B.4	O	N

Notes

- B.1 SWIFTNet Link security contexts must be useable by entitled entities only. The implementation depends on the features offered by the communication interface.
- B.2 If a certificate is not used regularly, there is a risk that it will become invalid or expire. Once invalid or expired, the certificate will no longer be able to be renewed and must be recovered.
- B.3 The messaging interface must properly sign traffic it sends to SWIFT. Properly signing means to select the signature format (Crypto or SignatureList), and to select what is signed (what DigestRef to add). What is signed depends on the service and request type.
- B.4 The messaging interface may offer functions to use SWIFTNet PKI certificates for digital signature within the ISO20022 Business Application Header (BAH or head.001.001.01) or within other elements such as the Xchg element (Business File Header (BFH) or head.002.001.01) used by T2S.

2.1.3 Messaging Interface Application Support

Feature	Note	Mand. / Optional	Support (Y/N)
Route incoming traffic to the correct business application	C.1	M	Y
Forward received signatures	C.2	O	N
Forward own signatures	C.3	O	N
Availability of messaging interface without connectivity to SWIFT	C.4	O	N
Provide messaging interface processing information	C.5	M	Y
Provide SWIFTNet processing information	C.6	O	N

Notes

- C.1 This routing can be based on various parameters taken from the received data. At a minimum, routing must be possible on the Service and RequestType taken from the RequestHeader or FileRequestHeader information.
- C.2 The signatures on data received can be made available to business applications requiring them.
- C.3 Ability to request a return of signatures on data sent and making them available to business applications requiring them.
- C.4 This feature allows business applications to send and receive messages even if the messaging interface is not connected via the communication interface to SWIFT. The messaging interface is a kind of hub between the business application and SWIFT.
- C.5 The most important processing information that can be passed consists of the verification result of the signatures. The minimum requirement is to allow routing the message based on the verification result of the signature.
- C.6 The processing information is related to non-repudiation, references added by SWIFT, routing information, copy related information such as the copy status. The business application can receive all information or a configured subset of processing information to be received.

2.1.4 Operational Features

Feature	Note	Mand. / Optional	Support (Y/N)
Traffic logging	D.1	O	N
Unattended operations	D.2	O	N
Backup/restore of messaging information	D.3	O	N
Backup/restore of configuration data	D.4	O	Y

Notes

- D.1 Separate log from the actual messages sent or received is available for event analysis.
- D.2 The ability to use a messaging interface with minimal operator intervention.
- D.3 The ability to backup and restore messaging data (messages).
- D.4 The ability to backup configuration data. Depending on the design it can be several types of backup/restore related to a coherent set of data of one or more subsystems.

2.1.5 RMA Management

Feature	Note	Mand. / Optional	Support (Y/N)
Check authorisation-to-send	E.1	O	N
Check authorisation-to-receive	E.2	O	N
Import RMA Authorisations	E.3	O	N
RMA deployment – RMAChecked	E.4	O	N
Configure local check mode in RMA trial period	E.5	O	N
RMA deployment – reports	E.6	O	N

Notes

- E.1 The messaging interface checks the existence of an authorisation-to-send for the request that will be sent on the service.
- E.2 The messaging interface checks the existence of the authorisation-to-receive for the request that is received on the service.
- E.3 The messaging interface can import RMA authorisations.
- E.4 The messaging interface indicates the usage of the authorisation-to-send in the RequestControl.

- E.5 The local configuration changes the behaviour of the checking of RMA authorisations-to-send and authorisations-to-receive during the trial period. When check mode is on and a check fails, the traffic is stopped. When check mode is off and a check fails, the traffic is not stopped.
- E.6 The messaging interface provides information about the usage of authorisations for traffic sent and received. The report can be integrated within traffic investigation reports or can be integrated within audit log reports.

2.1.6 Application Service Profile

Feature	Note	Mand. / Optional	Support (Y/N)
Application Service Profile Package Import	F.1	O	N
Application Service Profile Package Usage	F.2	O	N

Notes

- F.1 The messaging interface is able to import the package and apply the definitions of the application service profiles.
- F.2 An application service profile contains a set of parameters as decided by the Service Administrator during the definition of the service. The application service profile is used by messaging interfaces and applications to correctly send and receive traffic for that service.

2.2 Store-and-forward Features

2.2.1 General Features

The table below lists the general features required by messaging interfaces supporting Store-and-forward.

Feature	Note	Mand. / Optional	Support (Y/N)
Start a Session on a Queue	G.1	M	Y
Stop a Session on a Queue	G.2	M	Y
Monitor Queues	G.3	M	Y
Generic Queues for Requests and Messages	G.4	M	Y
Support of System Recovery	G.5	M	Y
Send Y-Copy Authorisation or Refusal	G.6	O	N
Exchanging messages over Store-and-forward requires at least one of the following to be supported:	G.7	M	Y
Pull mode	G.8	O	Y
Push mode	G.9	O	Y
Support of Cold Start	G.10	M	Y

Notes

- G.1 This is performed by opening an output channel.
- G.2 This is performed by closing an output channel.
- G.3 The ability of the messaging interface to monitor queues.
- G.4 This supports the single window concept, where different business services can use the same queue. Generic queues can simplify the MRR setup.
- G.5 A SWIFT Net Store-and-forward system recovery is done when the active site becomes inoperable for some reason. In this case, some data previously sent to SWIFT may need to be resent. The amount of data depends on the replication status of Store-and-forward prior to the incident that caused the active site to stop.
- G.6 This is mandatory for messaging interfaces used by third-party organisations that offer Y-Copy services. The authorisation itself is always created by a business application using the messaging interface.
- G.7 Store-and-forward interface must choose one of the following modes:
- G.8 The product may use Pull mode to fetch messages from its queues, or
- G.9 The product may use Push mode to receive messages from its queues automatically.
- G.10 The procedure for restarting the operations after a cold start will use the available features of the interface. Accurate documentation is essential to guide the user so that recovery from the cold start is as easy as possible. This documentation must be available at the time of cold start.

2.2.2 Sequence of Transmission/Delivery

Feature	Note	Mand. / Optional	Support (Y/N)
Support of Output Channels	H.1	M	Y
Support of Input Channels	H.2	M	Y
Queue Sharing	H.3	O	N

Notes

- H.1 The support of output channels consists of using the primitives for output channels and the monitoring of their state through the event handling.
- H.2 The support of input channels consists of using the primitives for input channels in order to send messages.
- H.3 Queue sharing is done by opening several output channels on the same queue.

2.2.3 System Messages

Feature	Note	Mand. / Optional	Support (Y/N)
Create System Messages	I.1	O	N
Create System Report Requests	I.2	O	N
Send System Messages	I.3	M	Y
Receive System Messages	I.4	M	Y
Process Received System Messages	I.5	O	N

Notes

- I.1 Creation of system messages can be done by a business application using the messaging interface or by the messaging interface itself.
- I.2 The ability of the messaging interface to create report requests.
- I.3 The ability of the messaging interface to send system messages.
- I.4 The ability of the messaging interface to receive system messages.
- I.5 This can be done by a business application using the messaging interface or by the messaging interface itself.

2.2.4 Delivery Management

Feature	Note	Mand. / Optional	Support (Y/N)
Acknowledge Receipt	J.1	M	Y
Receive Delivery Notifications	J.2	M	Y
Receive Notifications of Authorisation or Refusal	J.3	M	Y
Reconcile Undelivered Traffic Reports	J.4	O	N
Receive Delivery Notifications version 02	J.5	O	N

Notes

- J.1 The messaging interface acknowledges receipt after having safely stored the data it receives. This requires persistent storage.
- J.2 The ability of the messaging interface to receive delivery notifications.
- J.3 The ability of the messaging interface to receive notifications of authorisations or refusal.
- J.4 The ability of the messaging interface to reconcile undelivered traffic reports.
- J.5 The ability of the messaging interface to receive delivery notifications of version 02 with additional information. The messaging interface may offer functionality to process the additional information. An example of additional information is the Signature provided by T2S.

2.3 InterAct Features

2.3.1 Message Processing Features

The table below lists the general features required by messaging interfaces supporting InterAct.

Feature	Note	Mand. / Optional	Support (Y/N)
Send messages – 4eyes	K.1	O	N
Send messages	K.2	M	Y
Receive messages	K.3	M	Y
Use system messages as delivery notifications	K.4	O	N
Prepare messages	K.5	O	N
Correct messages	K.6	O	N
Select 1 or more copy destinations	K.7	M	Y
Receive retrieved messages	K.8	O	N

Notes

- K.1 This is a step in the flow of sending messages where another operator is involved. This can be implemented by business applications.
- K.2 The client part of the communication interface primitives for sending InterAct is invoked.

- K.3 The messages are received from the server part of the communication interface.
- K.4 Delivery notifications as system messages contain the RequestHeader as context information.
- K.5 Allow message entry. This can be done by business applications.
- K.6 This can be done by business applications. The messaging interface must then be able to route messages that failed to be sent to a business application for correction, or to provide the necessary information to identify the failed messages.
- K.7 This is mandatory for the messaging interface used to indicate which copy destination a message is to be copied to. This selection is from a list of possible third parties for that service (These can be taken from the application service profile, if supported). This can also include multiple destinations.
If messaging interface is deployed to corporate users only, then this functionality is optional.
- K.8 The messaging interface can trigger the retrieval request or this can be achieved by SWIFT Net Online Operation Manager. The messaging interface must open its output channel in protocol level 2 in order to receive the retrieved input and output messages.

2.3.2 Message Distribution Features

The table below lists the distribution features that messaging interfaces supporting InterAct may use. Complete this section if your messaging interface supports these distribution features.

Feature	Note	Mand. / Optional	Support (Y/N)
Send message distribution request	L.1	O	N
Receive distributed message	L.2	M	Y

Notes

- L.1 This is the creation of a message distribution request.
- L.2 This is the same as any other messages, except for the handling of the RecipientList.

2.3.3 Copy Features

The following table lists the features required by InterAct messaging interfaces supporting third party services.

Feature	Note	Mand. / Optional	Support (Y/N)
Act as a copy destination for T-Copy	M.1	O	N
Act as a copy destination for Y-Copy	M.2	O	N
Act as a copy destination for Y-Copy in TCopyFallback	M.3	O	N

Notes

- M.1 This is mandatory for the messaging interface used by a copy destination for processing copied messages. T-Copy is a service where the message is delivered to the receiver without any dependency of the copied information.
- M.2 This is mandatory for the messaging interface used by a copy destination for processing copied messages. When the service is Y-Copy, the message is copied to the third party. The third party must authorise or refuse the message to be delivered to the receiver. The third party may refuse the delivery of the message to the receiver, in which case, the sender is informed via a refusal notification message.
- M.3 This is mandatory for the messaging interface used by a copy destination for processing copied messages with CopyState=TCopyFallBack.

Legal Notices

Copyright

SWIFT © 2021. All rights reserved.

Restricted Distribution

Do not distribute this publication outside your organisation unless your subscription or order expressly grants you that right, in which case ensure you comply with any other applicable conditions.

Disclaimer

The information in this publication may change from time to time. You must always refer to the latest available version.

Translations

The English version of SWIFT documentation is the only official and binding version.

Trademarks

SWIFT is the trade name of S.W.I.F.T. SCRL. The following are registered trademarks of SWIFT: the SWIFT logo, SWIFT, SWIFTNet, Accord, Sibos, 3SKey, Innotribe, the Standards Forum logo, MyStandards, and SWIFT Institute. Other product, service, or company names in this publication are trade names, trademarks, or registered trademarks of their respective owners.

